


Model		WWRAKS510
		Photo only for reference
1. Product identification		
Description of appliance (Sigle Door,BM,TM,Triple Door,SBS, etc)		TM
Type/appliance (Refrigerator, Larder, Freezer,Wine cooler,Beverage cooler)		Refrigerator
FS (free standing) - BI (built-in) - BU (built-under)		FS
2. Aesthetics		
Door profile (F = flat / R = rounded / etc...)		R
Handle (External/Integrated)		External
Colours (White/Silver/SS/Glass/Inox looking/Sand color)		White
3. Basic features		
Voltage / frequency		220-230/60
Net capacity (SASO)	l	508
Net capacity fridge compartment (Fridge/Chill)	l	391
Net capacity freezer compartment	l	117
Energy efficiency class		SASO D
Climate class (SN=10~32°C, N=16~32°C, ST=16~38°C, T=16~43°C)		T
Freezer compartment star rating		4 Star
Energy consumption / year	kWh/year	423
Energy consumption (EN153) per 24 h (A/A+)	kWh/24 h	1.160
Kind of coolant / Charge (R134a/R600a) / grammes	R / g	R600a
Certifications		SASO+GCC

4. Key features		
Defrosting Fridge / Freezer (M>manual A=automatic)		A
Control system (E = Electronic / M = Mechanical)		E
Frost Free (Fridge/Freezer)		Yes
Multi airflow (Fridge/Freezer)		Yes
Easy cleaning door seal		Yes
Crisper with humidity control function		No
Tempered glass		Yes
LED Light (Fridge/Freezer)		Yes
5. Control panel		
External control display		No
External control display with LED/LCD		No
Super Freezing (Freezer)		No

6. Fridge compartment		
Shelves:		
Number/type		3
Crisper(s) :		
Shelf (on crisper)		1
vegetable compartment : number/color		1
Door:		
Storage rack(s) (Total)		2/Full Width+3/half Width
Covered dairy compartment		/
bottle holder		/
Eggs tray(s) / Total number of eggs		Twist moveable
Interior light		Top LED Lighting/1
7. Freezer compartment		
Drawer(s)		/
Shelves: Number/type		1
Storage rack(s) on the door (Total)		2
Interior light		Yes
8. Packing dimensions & loadability		
Unit dimensions with external handle (W / D / H)	mm	794*685*1720
Packing dimensions (W / D / H)	mm	843*734*1795
Net weight	kg	78
Gross weight	kg	85
20GP/40GP/40HC Container load	pcs	63